EAST 09/5/3,91\$

					OFU 3	10/07
,T	Number		Search Text	DB	Time stam	ıp
_		7 11	ep-1041850-\$.did. OR ep-831669-\$.did. OR ep-841763-\$.did. OR WO-9845966-\$.did. OR WO-9852288-\$.did. OR WO-9953630-\$.did.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/07/1	.0 15:40
-		- 25 54 PISES	(("5301359") or ("6151309") or ("6324185") or ("6347224") or ("5666356") or ("6289005") or ("6304562") or ("6327254") or ("5987326") or ("6021309") or	USPAT	2003/06/0	3 18:27
		3-4	("5257283") or ("5293640") or ("5561839") or ("5603085") or ("5734967") or ("5745480") or ("5768260") or ("5805585") or ("5862485") or ("5923650") or ("6157668") or ("6181738") or ("6226283")).PN.			
_		2444	(wireless OR radio\$1) AND ((ad ADJ1 hoc) OR multi\$1hop)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/06/1	.5 10:08
_		979	(wireless OR radio\$1) AND ((ad ADJ1 hoc) OR multi\$1hop) AND (learn\$3 OR discover\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/07/1	.0 09:20
_		349	((wireless OR radio\$1) SAME ((ad ADJ1 hoc) OR multi\$1hop)) AND (learn\$3 OR discover\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/06/1	.5 11:17
-		16	("5051984" "5056085" "5065399" "5173689" "5235599" "5412654" "5572528" "5719861" "5740366" "5748611" "5822309" "5987011" "6049524" "6130881" "6304556" "6400752").PN.	USPĀT	2003/06/1	.5 10:29
_		2324	<pre>(wireless OR radio\$1) AND ((learn\$3 OR discover\$3) SAME (configur\$5 OR auto\$1configur\$5))</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/06/1	.5 11:58
_		800	<pre>(wireless OR radio\$1) AND ((learn\$3 OR discover\$3) SAME (configur\$5 OR auto\$1configur\$5)) AND ((configur\$5 OR auto\$1configur\$5) SAME (IP OR (rout\$3 NOT routine) OR forward\$3))</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/06/1	5 13:02
_		837		USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/06/1	5 12:39
_		21764	<pre>(wireless OR radio\$1) AND (learn\$3 OR discover\$3) AND (initial\$3 OR (start ADJ1 up))</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/06/1	5 13:04
		2335	<pre>(wireless OR radio\$1) AND ((learn\$3 OR discover\$3) SAME (initial\$3 OR (start ADJ1 up)))</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/06/1	5 13:05
_		29044	(wireless OR radio\$1 OR RF) SAME ((rout\$3 NOT routine) OR forward\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/06/1	6 10:17
<u>-</u>		2851	<pre>(wireless OR radio\$1 OR RF) SAME ((rout\$3 NOT routine) OR forward\$3) SAME (configur\$5 OR auto\$1configur\$5)</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/06/1	5 13:10

-	550	((wireless OR radio\$1 OR RF) SAME ((rout\$3	USPAT;	2003/06/15 13:36
		NOT routine) OR forward\$3) SAME	US-PGPUB; EPO; JPO;	
		(configur\$5 OR auto\$1configur\$5)) AND (learn\$3 OR discover\$3)	DERWENT;	
		(lealings on discoverys)	IBM TDB	
_	130	((wireless OR radio\$1 OR RF) SAME ((rout\$3	USPAT;	2003/06/15 13:37
		NOT routine) OR forward\$3)) AND	US-PGPUB;	
		((initial\$3 OR (start ADJ1 up)) WITH	EPO; JPO;	
		(learn\$3 OR discover\$3))	DERWENT;	
	1.6	/#505100AH #505C005H #50C5200H	IBM_TDB	2002/06/15 12:50
-	16	("5051984" "5056085" "5065399" "5173689" "5235599" "5412654"	USPAT	2003/06/15 13:58
		"5572528" "5719861" "5740366"		
		"5748611" "5822309" "5987011"		
		"6049524" "6130881" "6304556"		l
1		"6400752").PN.		
-	16		USPAT	2003/06/15 13:59
1		"5051987" "5241533" "5297137"		
1		"5412654" "5487065" "5497368" "5526414" "5583996" "5646936"		
		3525414		
	ļ	"6122258").PN.		
-	12	1	USPAT	2003/06/15 14:03
		"5412654" "5442633" "5444707"]	
		"5533025" "5570084" "5579373"		
		"5592468" "5654959" "5812531").PN.		
-	20		USPAT	2003/06/15 14:06
-	10	("4718002" "5093824" "5243592" "5574860" "5850592" "5881246"	USPAT	2003/06/15 14:10
		3574660		
		"6134442").PN.		
-	0	6456599.URPN.	USPAT	2003/06/15 14:14
-	16		USPAT	2003/06/15 14:15
		"5212806" "5321542" "5325362"		
		"5339316" "5371738" "5384826"		
		"5394436" "5400338" "5412654" "5453977" "5479400" "5490139"		
		"5570084").PN.		
-	11	5812531.URPN.	USPAT	2003/06/15 14:17
-	28	("4308613" "4612637" "4639914"	USPAT	2003/06/15 14:25
		"4688259" "4730310" "4979168"		
		"5038398" "5040175" "5046066"		
		"5117422" "5124985" "5164942" "5197127" "5204855" "5204856"		
		"5216591" "5220564" "5226045"		
		"5231634" "5239673" "5245609"		
		"5291474" "5291475" "5291515"		
		"5506848" "5652751" "5719868"		
1_	_	"5742593").PN.	HCDAM	2002/06/16 14:26
12	9 21	5949760.URPN. ("5159592" "5325362" "5519706"	USPAT USPAT	2003/06/15 14:26 2003/06/15 14:28
		(5159592	JOERI	2003/00/13 14:20
		"5717688" "5790548" "5793763"		
		"5812531" "5812819" "5835726"		
	1	"6108330" "6144671" "6151318"		
]	"6157613" "6160804" "6167513"		
	.	"6170012" "6195705" "6215779").PN.	HODAG	2002/06/15 14:22
1.	1 14	6496505.URPN. ("5159592" "5325362" "5519706"	USPAT USPAT	2003/06/15 14:30 2003/06/15 14:31
	14	(3139392	JOERI	2003/00/13 14:31
		"5717688" "5745699" "5790548"		
		"5812531" "5812819" "5835725"		
		"6147986" "6246670").PN.		
-	1	6434134.URPN.	USPAT	2003/06/15 14:33
-	10		USPAT	2003/06/15 14:34
		"5557748" "5655148" "5696903" "5790800" "5809329" "5812531"		
		"5790800" "5809329" "5812531" "5812819").PN.		
_	31	5918016.URPN.	USPAT	2003/06/15 14:35
		·		

-	1302		USPAT; US-PGPUB;	2003/06/16 10:54
		NOT routine) OR forward\$3) AND ((dynamic\$4 OR self OR auto) WITH configur\$5)	EPO; JPO;	
		01. 0022 01. 0220, 00	DERWENT;	
	400	(include On wedical On DE) CAME ((would)	IBM_TDB	2003/07/10 09:21
_	483	(wireless OR radio\$1 OR RF) SAME ((rout\$3 NOT routine) OR forward\$3) AND ((dynamic\$4	USPAT; US-PGPUB;	2003/07/10 09:21
	ļ	OR self OR auto) WITH configur\$5) AND	EPO; JPO;	
		(learn\$3 OR discover\$3)	DERWENT;	
	,	5719868.pn.	IBM_TDB USPAT;	2003/06/16 17:14
_		3719660.pm.	US-PGPUB;	2003/00/10 17.14
			EPO; JPO;	
	}		DERWENT; IBM TDB	
_	30	("4308613" "4612637" "4639914"	USPAT	2003/06/16 17:17
		"4688259" "4730310" "4868811"		
		"4937822" "4979168" "5038398"		
		"5040175" "5046066" "5124985" "5134615" "5164942" "5197127"		
		"5204855" "5204856" "5216591"		
		"5220564" "5226045" "5231634"		
		"5239673" "5245609" "5291474" "5291475" "5291515" "5359595"		
	:	"5448621" "5570352" "5581548").PN.		
-		5719868.URPN.	USPAT	2003/06/16 17:18
_	2	5987326.pn.	USPAT; US-PGPUB;	2003/06/16 17:37
			EPO; JPO;	
			DERWENT;	
_	9602	(wireless OR radio\$1 OR RF OR cellular\$1	IBM_TDB USPAT;	2003/07/10 10:06
	3002	OR GSM) AND ((label ADJ1 switch\$3 ADJ1	US-PGPUB;	2003/0//10 10:00
		path\$2) OR LSP OR tunnel\$1 OR MLPS)	EPO; JPO;	
			DERWENT; IBM TDB	
_	/ 470	(wireless OR radio\$1 OR RF OR cellular\$1	USPAT;	2003/07/10 09:25
		OR GSM) AND ((label ADJ1 switch\$3 ADJ1	US-PGPUB;	
		path\$2) OR LSP OR MLPS)	EPO; JPO; DERWENT;	
			IBM TDB	
-	2984	(wireless OR radio\$1 OR RF OR cellular\$1	USPAT;	2003/07/10 10:15
		OR GSM OR (base ADJ1 station\$1) OR RBS OR BTS) AND ((label ADJ1 switch\$3 ADJ1	US-PGPUB; EPO; JPO;	
		path\$2) OR LSP OR tunnel\$1 OR MLPS OR	DERWENT;	
		(virtual ADJ1 path\$1)) AND (Internet\$1 OR	IBM_TDB	
_	1170	packet\$1 OR IP\$2) (wireless OR radio\$1 OR RF OR cellular\$1	HSDAT.	2003/07/10 10:16
-	1170	OR GSM OR (base ADJ1 station\$1) OR RBS OR	USPAT; US-PGPUB;	2003/07/10 10:16
		BTS) AND (((label ADJ1 switch\$3 ADJ1	EPO; JPO;	
		path\$2) OR LSP OR tunnel\$1 OR MLPS OR	DERWENT;	
		<pre>(virtual ADJ1 path\$1)) SAME (Internet\$1 OR packet\$1 OR IP\$2))</pre>	IBM_TDB	
_	/ 234	(wireless OR radio\$1 OR RF OR cellular\$1	USPAT;	2003/07/10 10:44
		OR GSM OR (base ADJ1 station\$1) OR RBS OR	US-PGPUB;	
		BTS) AND (((label ADJ1 switch\$3 ADJ1 path\$2) OR LSP OR tunnel\$1 OR MLPS OR	EPO; JPO; DERWENT;	
		(virtual ADJ1 path\$1)) SAME (Internet\$1 OR	IBM_TDB	
		packet\$1 OR IP\$2)) AND ((hand ADJ1 off\$1)	_	
		OR hand\$loff\$1 OR (hand ADJ1 over\$1) OR hand\$lover\$1 OR (macro ADJ1 diversit\$3) OR		
		macro\$ldiversit\$3)		
-	769	, ======= == =======	USPAT;	2003/07/10 10:46
		OR GSM OR (base ADJ1 station\$1) OR RBS OR BTS) AND (((label ADJ1 switch\$3 ADJ1	US-PGPUB; EPO; JPO;	
		path\$2) OR LSP OR tunnel\$1 OR MLPS OR	DERWENT;	
		(virtual ADJ1 path\$1)) SAME (Internet\$1 OR	IBM_TDB	
		packet\$1 OR IP\$2)) AND (rout\$3 NOT		
	L	routine)		

			_	
-	723	(wireless OR radio\$1 OR RF OR cellular\$1 OR GSM OR (base ADJ1 station\$1) OR RBS OR	USPAT; US-PGPUB;	2003/07/10 10:50
		BTS) AND (((label ADJ1 switch\$3 ADJ1 path\$2) OR LSP OR tunnel\$1 OR MLPS OR	EPO; JPO; DERWENT;	
		(virtual ADJ1 path\$1)) SAME (Internet\$1 OR	IBM_TDB	
		packet\$1 OR IP\$2)) AND ((rout\$3 NOT routine) SAME (Internet\$1 OR packet\$1 OR IP\$2))		
-	/ 778		USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/07/10 12:51
-	18	, , , ,	IBM_TDB USPAT	2003/07/10 13:46
		"5797102" "5799255" "5880829" "5887254" "5903559" "5996021"		
<u> </u> 		"6021263" "6084855" "6128298" "6131117" "6205149" "6226523"		
		"6246670" "6330239" "6385195").PN.		
_	12		USPAT;	2003/07/10 13:50 2003/07/10 15:57
			US-PGPUB;	2000,07,10 13.37
			EPO; JPO; DERWENT;	
			IBM_TDB	
ļ -	/ 22	(soft ADJ1 hand\$1over\$1) AND ((virtual ADJ1 path\$1) OR MPLS OR (switch\$3 ADJ1	USPAT; US-PGPUB;	2003/07/10 16:20
		path\$1))	EPO; JPO;	
			DERWENT; IBM TDB	
_	27	((anchor\$3 WITH ((base ADJ1 station\$1) OR	USPĀT;	2003/07/10 17:07
į		BTS OR RBS)) SAME ((hand\$1off\$1) OR	US-PGPUB;	
		hand\$lover)) AND (Internet OR IP OR packet\$1)	EPO; JPO; DERWENT;	
		,	IBM TDB	